

ताम "विस्फोटक", नागपुर
Telegram: 'EXPLOSIVES', Nagpur
Website: http://pass.gov.in
Email: publicaffairs@explosives.gov.in
दूरभाष/ Telephone: 0712-2510248
फैक्स/ FAX: 2510577

कार्यालयीन उद्देश्य के सभी पत्रादि "मुख्य विस्फोटक निदेशक" के पदनाम से भेजे जाएं, उनके व्यक्तिगत नाम से नहीं।

All communications intended for this Office should be addressed to the 'Chief Controller of Explosives' and NOT to him by name.



भारत सरकार

GOVERNMENT OF INDIA

पेट्रोलियम तथा विस्फोटक सुरक्षा संगठन

PETROLEUM AND EXPLOSIVES SAFETY ORGANISATION

(पूर्व नाम- विस्फोटक विभाग)

(Formerly- Department of Explosives)

"ए" ब्लॉक, पाँचवा तल, केन्द्रीय कार्यालय परिसर,

"A" Block, 5th Floor, CGO Complex,

सेमीनरी हिल्स, नागपुर-440 006 (महा.)

Seminary Hills, Nagpur-440006

No. PV(M)-765

दिनांक dated 12/11/2010

To,

M/s. Spetech Plant Equipments Pvt. Ltd.,
3rd Floor, Mohan Terrace,
Adajan Road,
Surat - 395 009,
GUJARAT

8 NOV 2010

Sub: Manufacture of pressure vessels in your fabrication shop at B3/3 to B3/12, Sachin Udyognagar Sahakari Mandali Ltd., Sachin (Gujarat) - Extension of approval under SMPV (U) (Amendment) Rules 1981.

Dear Sirs,

Please refer to your letter no. SPE/QA/CCOE/04_KDS/2010 dated 20.10.2010

The approval for manufacture of pressure vessels in your workshop at Plot No. B3/3 to B3/12, Sachin Udyognagar Sahakari Mandali Ltd., Sachin (Gujarat) granted vide this office letter of even no. dated 10/06/2008 is hereby extended for a **period upto 31.10.2011**. The other terms and conditions contained in this office letter dated 10.06.2008 remain unchanged and should be complied with strictly.

Yours faithfully,

(D. K. GUPTA)

Controller of Explosives
for Chief Controller of Explosives

Copy forwarded to -

1. The Jt. Chief Controller of Explosives, West Circle, Mumbai.
2. The Dy. Chief Controller of Explosives, Baroda.

for Chief Controller of Explosives